







| | | CLASS 1 | | | CLASS 2 | | CLASS 3 | |
|---|---|---|--|--|---|---|--|--|
|  | Original size Paper | P-1 Max. 2000 mm ² | P-2 Max. 800 mm ² | P-3 Max. 320 mm ² | P-4 Max. 160 mm ² | P-5 Max. 30 mm ² | P-6 Max. 10 mm ² | P-7 Max. 5 mm ² either dissolve or burn |
|  | Reduced size Microfilm | F-1 Max. 160 mm ² | F-2 Max. 30 mm ² | F-3 Max. 10 mm ² | F-4 Max. 2,5 mm ² | F-5 Max. 1 mm ² | F-6 Max.0,5mm ² either dissolve or burn | F-7 Max.0,2mm ² either dissolve or burn |
|  | Optical CD, DVD, Blue-Ray | O-1 Max. 2000 mm ² | O-2 Max. 800 mm ² | O-3 Max. 320 mm ² | O-4 Max. 160 mm ² | O-5 Max. 30 mm ² | O-6 Max. 5 mm ² either melt or burn | O-7 Max. 2 mm ² either melt or burn |
|  | Magnetic Tape, credit card | T-1 Make Mechanically unusable | T-2 Max. 2000mm ² | T-3 Max. 320 mm ² | T-4 Max. 160 mm ² | T-5 Max. 30 mm ² | T-6 Max. 10 mm ² | T-7 Max. 2,5 mm ² either melt or burn |
|  | Hard disk drives SATA, IDE, SCSI, SAS | H-1 Make mechanically electronically unusable | H-2 Damage | H-3 Deform | H-4 Deform and shred up to 2000 mm ² | H-5 Deform and shred up to 320 mm | H-6 Deform and shred up to 10 mm ² | H-7 Deform and shred up to 5 mm ² |
|  | Electronic USB, SSD, memory card | E-1 Make mechanically electronically unusable | E-2 Cut | E-3 Max. 160 mm ² | E-4 Max. 30 mm ² | E-5 Max. 10 mm ² | E-6 Max. 1 mm ² or burn | E-7 Max. 0,5 mm ² or burn |